


LAPPSET®

DASH PARKOUR






ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION



DATE: 7.11.2019



081765M








DATE: 7.11.2019



081701M	PCS 1	081702M	PCS 1	081737M	PCS 1	081741M	PCS 1	081750M	PCS 1		PCS
											
											
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS


















① 702341	PCS	② 708109	PCS
	1		2
90x50		118x118x697	

③ 708443	PCS	④ 708848	PCS
	2		2
118x118x352		18x450x690	



⑤ 708849	PCS	⑥ 712969	PCS
	2		2
18x450x690		16x450x690	

⑦ 712670	PCS	⑧ 712671	PCS
	1		1
16x300x1005		16x500x1005	


⑨ 712669	PCS	⑩ 712672	PCS
	1		1
16x112x1005		16x425x1005	

⑪ 708855	PCS	⑫ 900240	PCS
	8		8
45x45x975		Ø8x70	


⑬ 903093	PCS	⑭ 908371	PCS
	4		2
Ø8x90		42-38/40	






DET 1





⑮ 908698	PCS	⑯ 910056	PCS	⑰ 980100	PCS	⑱ 980104	PCS	⑲ 980123	PCS	⑳ 980128	PCS
	4		1		24		32		27		14
3x114x108		140x690		Ø5x60		Ø5x90		Ø7x60		Ø7x40	






709261+		709262+	
○ 910330	PCS	○ 910567	PCS
SURFACE	2	CONCRETE	2
			
152x200x200		117x117x715	












----- Falling Space 13 m²
 Max Falling Height 660 mm







① 707210	PCS 8	② 707213	PCS 4
			
118x118x503		118x118x1490	
③ 708042	PCS 2	④ 708125	PCS 2
			
118x118x1185		118x118x1326	
⑤ 708522	PCS 2	⑥ 708688	PCS 2
			
118x118x2139		118x118x2279	
⑦ 712612	PCS 2	⑧ 712611	PCS 1
			
16x745x1766		16x745x2280	
⑨ 712610	PCS 1	⑩ 712609	PCS 1
			
16x745x1185		16x745x1326	
⑪ 708857 JIG	PCS 1	⑫ 900240	PCS 100
			
20x133x149		Ø8x70	
⑬ 903093	PCS 16	⑭ 903533	PCS 6
			
Ø8x90		SRL12	
⑮ 905103	PCS 16	⑯ 905112	PCS 16
			
PT-28/32-H		Ø22	



<p>⑰ 908371 PCS 6</p>  <p>42-38/40</p>	<p>⑱ 908698 PCS 16</p>  <p>3x114x108</p>	<p>⑲ 910056 PCS 3</p>  <p>140x690</p>	<p>⑳ 910266 PCS 8</p>  <p>90x108x118</p>	<p>㉑ 702286 PCS 1</p>  <p>65x65</p>	<p>㉒ 910328 PCS 3</p>  <p>L 1466</p>		
<p>㉓ 980100 PCS 96</p>  <p>Ø5x60</p>	<p>㉔ 980123 PCS 87</p>  <p>Ø7x60</p>	<p>㉕ 911297 MURAL PCS 1</p>  <p>12x745x2140</p>	<p>㉖ 911293 COLOR PCS 1</p>  <p>15x745x2145</p>	<p>㉗ 911295 COLOR PCS 1</p>  <p>15x745x2004</p>	<p>㉘ 911301 COLOR PCS 1</p>  <p>15x745x1495</p>		
<p>㉙ 911103 COLOR PCS 1</p>  <p>15x745x1495</p>	<p>㉚ 911305 COLOR PCS 1</p>  <p>15x745x1192</p>	<p>㉛ 911307 COLOR PCS 1</p>  <p>15x745x1050</p>	<p>㉜ 905086 PCS 2</p>  <p>Ø44/13.5x3.9</p>	<p>㉝ 909132 PCS 1</p>  <p>M12x280</p>	<p>㉞ 909248 PCS 1</p>  <p>M12</p>		
<p>㉟ 980114 PCS 4</p>  <p>Ø4x20</p>	<p>FOOT OPTIONS</p> <p>709261+ 709262+</p> <table border="1"> <tbody> <tr> <td> <p>○ 910267 SURFACE PCS 8</p>  <p>152x200x200</p> </td> <td> <p>○ 910567 CONCRETE PCS 8</p>  <p>117x117x715</p> </td> </tr> </tbody> </table>					<p>○ 910267 SURFACE PCS 8</p>  <p>152x200x200</p>	<p>○ 910567 CONCRETE PCS 8</p>  <p>117x117x715</p>
<p>○ 910267 SURFACE PCS 8</p>  <p>152x200x200</p>	<p>○ 910567 CONCRETE PCS 8</p>  <p>117x117x715</p>						




- EN Impact Attenuating Surface (IAS) 27.6 m²
- - - - Falling Space 27.6 m²
- Max Falling Height 2450 mm




DET 1




DET 2




DET 3




DET 4




DET 5




DET 6




DET 7




DET 8




DET 9 DRILL PREHOLES
Ø6mm BEFORE
INSTALLING HANDLES




DET 10



DET 11 DRILL PREHOLES BEFORE INSTALLING HANDLES





JIG DET A (USE DET 2-3)


NOTE:

Use drill jig 708857 to predrill $\text{Ø}5 \nabla 50$ holes for 910266 and 908698

708857

910266

908698



JIG DET B (USE DET 11)

Plywood


Frame


708857

910056


$\text{Ø}8 \times 70$
(900240)




$\text{Ø}8 \nabla 15$





DET 12







① 702341	PCS	② 712657	PCS
	1		1
90x50		16x1200x1486	
③ 712658	PCS	④ 712659	PCS
	1		1
16x1486x2174		16x1170x2170	
⑤ 712660	PCS	⑥ 712661	PCS
	1		1
16x1376x1486		16x1170x1620	
⑦ 709164	PCS	⑧ 709165	PCS
	2		2
18x80x1135		18x80x1420	
⑨ 902233	PCS	⑩ 905112	PCS
	24		24
M10x30		Ø22	
⑪ 909637	PCS	⑫ 909638	PCS
	24		48
M10		Ø20/10.5	
⑬ 909876	PCS	⑭ 910744	PCS
	48		1
M8x40		154x1160x1445	
⑮ 910768	PCS	⑯ 910769	PCS
	2		2
30x60x1349		30x60x1504	
⑰ 910793	PCS	⑱ 910794	PCS
	1		1
L 2158		L 1425	
⑲ 910795	PCS	⑳ 910796	PCS
	1		1
L 1646		L 884	


(21) 980108	PCS	(22) 980128	PCS	(23) 980150	PCS	(24) 980151	PCS
	4		12		48		48
Ø4x25		Ø7x40		M8		Ø16/8.4	

FOOT OPTION

709387+

○ 709386	PCS	○ 910567	PCS
SURFACE	1	CONCRETE	4
			
M16x170		117x117x715	







—— EN Impact Attenuating Surface (IAS) 24.4 m²


----- Falling Space 24.4 m²

Max Falling Height 1740 mm





① 702341	PCS	② 709381	PCS
	1		2
90x50		SURFACE	



③ 910220	PCS
	1
300x470x662	


FOOT OPTION FOR DEEP MOUNTING

709379+	
○ 902564	PCS
	2
L 550	




----- Falling Space 10.8 m²
 Max Falling Height 300 mm








① 702341	PCS	② 704879	PCS
	1		10
90x50		3x30x120mm	
③ 708880	PCS	④ 980151	PCS
	10		8
Ø77x20		Ø16/8.4	
⑤ 904133	PCS	⑥ 909258	PCS
	20		8
M10x80		M8x55	
⑦ 909633	PCS	⑧ 910547	PCS
	8		2
M8		Ø42.4x1200	



⑨ 910549	PCS	⑩ 910556	PCS
	4		6
Ø42.4x286x2042		L 2400	
⑪ 910557	PCS	⑫ 910563	PCS
	10		2
10x45x87		L 2100	





—— EN Impact Attenuating Surface (IAS) 45.7 m²
 - - - - Falling Space 45.7 m²
 Max Falling Height 2410 mm





INSTALLING FOR SURFACE MOUNTING

○ 709396	PCS
	10

FOOT OPTION FOR DEEP MOUNTING

○ 910562	PCS
	10
L 600	





$h < 1600$

Totally hard surfaces or materials with very limited impact attenuating properties.

Case by case risk assessment is needed including e.g. evaluation whether there is forced movement, what is the intended exercise and where will the product be installed.

Materials with significant impact attenuating properties.

Totally hard surfaces.
E.g. concrete or asphalt



Materials with very limited impact attenuating properties.
E.g. wood




fine gravel 0–8 mm



Unsorted sand/ topsoil



Lawn




$h = 1600-$

$h < 3000$

Loose fill material

E.g.
sand/gravel 0,25...8 mm $D_{60}/D_{10} < 3,0$
Woodchips 5...30 mm
bark 20...80 mm



\underline{S}
30 cm \underline{h}
< 3,0 m

Synthetic granulates

\underline{S} \underline{h}
40 mm $\sim >$ 1,6... $\sim <$ 1,8 m
50 mm $\sim >$ 1,8... $\sim <$ 2,25 m
55 mm $\sim >$ 2,25... $\sim <$ 2,4 m
60 mm $\sim >$ 2,4... $\sim <$ 2,55 m
70 mm $\sim >$ 2,55... $\sim <$ 3,0 m

Note. For accurate values, see manufacturer's instructions.

